

Gas	Min Range	Max Range	Standard Range
Acid Gasses	0-10 ppm	0-100ppm	0-10 ppm
Acetylene	0-100 ppm	0-2000 ppm	0-1000 ppm
Alcohol	0-500 ppm	0-2000 ppm	0-500 ppm
Ammonia	0-50 ppm	0-500 ppm	0-100 ppm
Arsine	0-1000 ppb	0-10ppm	0-1000 ppb
Bromine	0-1 ppm	0-100 ppm	0-2 ppm
Carbon Monoxide	0-50 ppm	0-500 ppm	0-100 ppm
Chlorine	0-1 ppm	0-100 ppm	0-10 ppm
Chlorine Dioxide	0-1 ppm	0-100 ppm	0-2 ppm
Cumbustible Gas	0-50% LEL	0-100% LEL	0-2 ppm
Diborine	0-1000 ppb	0-10 ppm	0-1000 ppb
Ethylene Oxide	0-20 ppm	0-200 ppm	0-20 ppm
Fluorine	0-1 ppm	0-100 ppm	0-2 ppm
Formaldehyde	0-20 ppm	0-200 ppm	0-20 ppm
Germane	0-1000 ppb	0-10 ppm	0-1000 ppb
Hydrogen	0-2000 ppm	0-10%	0-4%
Hydrogen Chloride	0-10 ppm	0-100 ppm	0-20 ppm
Hydrogen Cyanide	0-10 ppm	0-100 ppm	0-20 ppm
Hydrogen Flouride	0-10 ppm	0-100 ppm	0-20 ppm
Hydrogen Sulfide	0-10 ppm	0-100 ppm	0-50 ppm
Hydrogen Peroxide	0-10 ppm	0-100 ppm	0-10 ppm
Hydrogen Selenide	0-1000 ppb	0-10 ppm	0-1000 ppb
Iodine	0-1 ppm	0-100 ppm	0-2 ppm
Nitric Oxide	0-20 ppm	0-250 ppm	0-100 ppm
Nitrogen Dioxide	0-10 ppm	0-100 ppm	0-100 ppm
Oxygen	0-5%	0-35%	0-25 %
Ozone	0-1 ppm	0-100 ppm	0-2 ppm
Phosgene	0-2 ppm	0-100 ppm	0-1000 ppb
Phosphine	0-10 ppm	0-50 ppm	0-10 ppm
Silane	0-10 ppm	0-100 ppm	0-20 ppm
Sulfer Dioxide	0-10 ppm	0-100 ppm	0-20 ppm